Safety Data Sheet According to Regulation (EC) No 1907/2006

UltraPrint-Dental Model E UV

Version 1.0

Issue date: 22/03/2022

Revision date: 22/03/2022 SDS Record Number: CSSS-TCO-010-22032201

Section 1 Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier:	
Identification on the label/Trade name:	UltraPrint-Dental Model E UV
Additional identification:	Not available
Identification of the product:	Not available
Index Number:	Not available
REACH pre-registration No.:	Not available
1.2 Relevant identified uses of the sub	stance and uses advised against:
1.2.1 Identified uses: Fragrance Ingredient.	
1.2.2 Uses advised against:	
Not available.	
1.3 Details of the supplier of the safety	data sheet:
Supplier(Only representative):	Chemical Inspection & Regulation Service Limited
Supplier(Manufacturer):	GUANGZHOU HEYGEARS IMC.INC
Address:	Room 201-1, No. 25, Yayingshi Road, Huangpu District, Guangzhou City, China
Contact person(E-mail):	mqu@heygears.com
Telephone:	+86 020 32202686
Fax:	+86 020 32202686
1.4 Emergency telephone Number:	
LOED 44 000 6046 (Only available durin	a office hours (0:20c m. 17:20c m.)

+353 41 980 6916 (Only available during office hours (8:30a.m.-17:30p.m.)

Available outside office hours? NO Χ YES

Section 2 Hazards Identification

2.1 Classification of the substance/mixture:

2.1.1 Classification:

The substance is classified as following according to 67/548/EEC and REGULATION (EC) No 1272/2008:

REGULATION (EC) No 1272/2008

Hazard classes/Hazard categorie	Hazard statement
Skin Irrit. 2	H315
Skin Sens. 1	H317
Aquatic Chronic 1	H410

For full text of H- phrases: see section 2.2.

Product name: UltraPrint-Dental Model E UV SDS EU Issue date: 22-03-2022 Revision date: 22-03-2022 Version #: 1.0 1/7

2.2 label elements:

Hazard Pictograms:





Signal Word(S): Warning

Hazard Statement: H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H410: Very toxic to aquatic life with long lasting effects.

Precautionary statement: P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash hands thoroughly after handling.

P272: Contaminated work clothing should not be allowed out of the workplace.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302 + P352: IF ON SKIN: Wash with plenty of soap and water.
P332 + P313: If skin irritation occurs: Get medical advice/attention.

P333 + P313: If skin irritation or rash occurs: Get medical advice/attention.

P362: Take off contaminated clothing and wash before reuse.

P363: Wash contaminated clothing before reuse.

P391: Collect spillage.

P501: Dispose of contents/container in according with local regulation.

2.3 Other hazards:

Not applicable.

Section 3 Composition/information on ingredients

Substance/Mixture: Mixture

Ingredient(s):

Chemical Name	Pre-Registration No.	CAS No.	EC No.	Concentration
Dipropylene glycol diacrylate	N/A	57472-68-1	N/A	30-50
Acrylated aliphatic urethane	N/A	68987-79-1	N/A	40-60

Section 4 First aid measures

4.1 Description of first aid measures:

In all cases of doubt, or when symptoms persist, seek medical attention.

4.1.1 In case of inhalation:

Remove from exposure site to fresh air and keep at rest. Obtain medical advice.

4.1.2 In case of skin contact:

Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.

4.1.3 In case of eyes contact:

Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

4.1.4 In case of ingestion:

Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed:

Causes skin irritation. May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed:

Not available.

Section 5 Fire-Fighting measures

5.1 Extinguishing media:

Suitable extinguishing media: Carbon dioxide, dry chemical, foam.

Unsuitable extinguishing media:Do not use a direct water jet on burning material.

5.2 Special hazards arising from the

substance or mixture

Carbon monoxide and unidentified organic compounds may be formed during

combustion.

5.3 Special fire fighting methods and special protective actions for

fire-fighters:

Wear NIOSH approved self-contained breathing apparatus and full protective clothing when fighting fires involving chemicals. Use water spray to cool containers

exposed to fire.

Section 6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

6.1.1 For non-emergency personnel: Avoid inhalation and contact with skin and eyes. A self-contained breathing

apparatus is recommended in case of a major spill.

6.1.2 For emergency responders: Wear an appropriate NIOSH/MSHA approved respirator if Vapor is generated.

6.2 Environmental Precautions: Keep away from drains, surface- and groundwater and soil.

6.3 Methods for Containment and Cleaning Cleaning

up:

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use

of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections: See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

6.5 Additional information: Not applicable.

Section 7 Handling and storage

7.1 Precautions for safe handling:

7.1.1 Protective measures: Avoid excessive inhalation of concentrated vapors. Follow good manufacturing

practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned

before re-use. Keep away from ignition sources and naked flame.

7.1.2 Advice on general occupational

hygiene:

Do not eat, drink and smoke in work areas. Wash hands after use. Remove contaminated clothing and protective equipment before entering eating areas.

7.2 Conditions for safe storage, including

any incompatibilities:

Store in a cool, dry, ventilated area away from heat sources. Keep containers

upright and tightly closed when not in use.

7.3 Specific end use(s): Not applicable.

Product name: UltraPrint-Dental Model E UV
Version #: 1.0 Issue date: 22-03-2022 Revision date: 22-03-2022 3 / 7

Section 8 Exposure Controls/Personal Protection

8.1 Control parameters:

8.1.1 Occupational exposure limits: Not available.8.1.2 Additional exposure limits under the Not available.

conditions of use:

8.1.3 DNEL/DMEL and PNEC-Values: Not available.

8.2 Exposure controls:

Odour:

Flash point (°C):

8.2.1Appropriate engineering controls: Where appropriate, use closed systems to transfer and process this material.

If appropriate, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the

rest of the plant.

8.2.2 Individual protection measures, such as personal protective equipment:

Eye/face protection: Use tight-fitting goggles, face shield or safety glasses with side shields if eye

contact might occur.

Hand protection: Use chemically resistant gloves.

Body protection: Wear suitable protective clothing to prevent skin exposure.

Respiratory protection: No respiratory protection is required during normal operations in a workplace. If

engineering controls and safe work practices are not sufficient, an approved,

properly fitted respirator with organic vapor cartridges or canisters and particulate

filters should be used.

Thermal hazards: Wear suitable protective clothing to prevent heat.

8.2.3 Environmental exposure controls: Avoid discharge into the environment. According to local regulations, Federal and

official regulations.

Fragrance like

97 °C

Section 9 Physical and chemical properties

9.1 Information on basic physical and chemical properties:

Appearance: Liquid
Colour: Tan

Odour threshold:

pH:

Not available

Not available

Melting point/range (°C):

Solitor of the short of the s

Evaporation rate:

Flammability limit - lower (%):

Flammability (solid, gas):

Ignition temperature (°C):

Upper/lower flammability/explosive limits:

Vapour pressure:

Not available

Vapour density:

Not available

Relative Density: 1.0-1.5g/cm3 (25°C)

Bulk density (kg/m³): Not available

 Water solubility: Not available n-Octanol/Water (log Po/w): Not available Not available **Auto-ignition temperature:** Not available **Decomposition temperature:**

Viscosity, dynamic (mPa.s): 1000-1500 (25℃) Not available **Explosive properties:** Oxidising properties: Not available Molecular Formula: Not available Not available **Molecular Weight:**

9.2. Other information:

Fat solubility(solvent- oil to be specified) Not available

etc:

Surface tension: Not available Not available Dissociation constant in water(pKa): Not available Specific gravity:

Section 10 Stability and reactivity

10.1 Reactivity: The substance is stable under normal storage and handling conditions.

10.2 Chemical stability: Stable at room temperature in closed containers under normal storage and handling

conditions.

10.3 Possibility of hazardous reactions: No dangerous reactions known.

10.4 Conditions to avoid: Incompatible materials. Direct sources of heat.

10.5 Incompatible materials: Strong acids, alkali or oxidizing agents.

Carbon monoxide and unidentified organic compounds may be formed during 10.6 Hazardous decomposition products:

combustion.

Section 11 Toxicological information

11.1 Toxicokinetics, metabolism and distribution:

Non-human toxikological data: Not available

11.2 Information on toxicological effects:

Acute toxicity:

LD50(Oral, Rat): > 5000 mg/kg bw LD50(Dermal, Rat): > 5000 mg/kg bw LC50(Inhalation, Rat): Not available

Causes skin irritation. Skin corrosion/Irritation:

Not classified Serious eye damage/irritation:

Respiratory or skin sensitization: May cause an allergic skin reaction.

Germ cell mutagenicity: Not classified Carcinogenicity: Not classified Not classified Reproductive toxicity: Not classified STOT- single exposure: STOT-repeated exposure: Not classified

Aspiration hazard: Not classified

Product name: UltraPrint-Dental Model E UV

Version #: 1.0 Issue date: 22-03-2022 Revision date: 22-03-2022 5/7

SDS EU

Section 12 Ecological information

Toxicity:

Acute t	oxicity	Time	Species	Method	Evaluation	Remarks
LC50	1.3 mg/L	96h	Fish	OECD 203	N/A	N/A
EC50	1.38 mg/L	48h	Daphnia	OECD 202	N/A	N/A
EC50	> 2.6 mg/L	72h	Algae	OECD 201	N/A	N/A

Persistence and degradability: Not readily biodegradable.

Bioaccumulative potential: BCF=600

Mobility in soil: Log Koc = 4.12

Results of PBT&vPvB assessment: The substance is not PBT / vPvB.

Other adverse effects: Very toxic to aquatic life with long lasting effects.

Section 13 Disposal considerations

13.1 Waste treatment methods: Due to the high risk of contamination recycling/recovery is not recommended.

Waste disposal in accordance with regulations (most probably controlled

incineration).

13.2 Product / Packaging disposal: According to local regulations. Emptied container might retain product residues.

Follow all warnings even after the container is emptied.

Section 14 Transport information				
	Land transport(ADR/RID)	Sea transport (IMDG)	Air transport (ICAO/IATA)	
UN-Number	Not regulated	Not regulated	Not regulated	
UN Proper shipping name	Not regulated	Not regulated	Not regulated	
Transport hazard Class	Not regulated	Not regulated	Not regulated	
Packaging group	Not regulated	Not regulated	Not regulated	
Environmental hazards	No	No	No	
Special precautions for user	See section 2.2	See section 2.2	See section 2.2	
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not regulated	Not regulated	Not regulated	

Section 15 Regulation information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Relevant information regarding authorization: Not applicable.

Relevant information regarding restriction: Not applicable.

Other EU regulations: Employment restrictions concerning young person must be observed. For

use only by technically qualified individuals.

Other National regulations: Not applicable

Product name: UltraPrint-Dental Model E UV
Version #: 1.0 Issue date: 22-03-2022 Revision date: 22-03-2022

Chemical Safety Assessment has been carried out?	YES	NO	Х

Section 16 Other information

16.1 Indication of changes:

Version 1.0 Amended by EU No 2015/830

16.2 Training instructions:

Not applicable.

16.3 Further information:

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

16.4 Notice to reader:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgment of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Product name: UltraPrint-Dental Model E UV SDS EU Revision date: 22-03-2022 Version #: 1.0 Issue date: 22-03-2022 7/7